Author Index of Volume 172

Aoki, K., 125

Bamberger, M., 15
Barnhurst, R. J., 1
Baudelet, B., 23
Beaulieu, P. A., 71
Belló, J. M., 189
Beranger, A. S., 31
Brooks, C. R., 95
Byrnes, R. T., 79

Cavin, B., 167
Čermák, J., 153
Chattopadhyay, K., 125
Chen, X. F., 95
Clavel, M., 31

Dirnfeld, S. F., 15
Dunlap, J. R., 95
Duong, H., 173

Emiliani, M. L., 111
Escudero, M. L., 189

Feaugas, X., 31

Gagné, M., 1
Garbacz, A., 137

Hong, B. D., 1
Hubbard, C. R., 167
Hunt, Jr., W. H., 63

Kim, H. S., 159
Kwon, H. S., 159

Lara-Curzio, E., 167
Lewandowski, J. J., 63
Lian, J., 23
López, V., 189
Lynch, S. P., 79
L'Espérance, G., 1

Manoharan, M., 63
Matsugi, K., 101
Morinaga, M., 101
Murali, K. M., 43
Murata, Y., 101

Nazarov, A. A., 23

Okawa, T., 145
Oliver, B. F., 95

Pickles, C. A., 181
Pilkington, R., 51
Porter, W., 167
Prinz, B., 15

Raviprasad, K., 125
Reviere, R. D., 95
Rosen, A., 15
Rosen, G. L., 15
Růžičková, J., 153

Sherry, A. H., 51
Sternstein, S. S., 167

Tomita, Y., 145

Weerasooriya, T., 71
Weng, G. J., 43
Wilson, A. R., 79
Wolfenstine, J., 173
Wyrzykowski, J. W., 137
Yukawa, N., 101

Zhang, Y., 181

Elsevier Sequoia

Subject Index of Volume 172

Aging
  effects of ageing treatments on resistance to intergranular fracture of 8090 Al–Li alloy plate, 79
Alloys
  an electronic approach to alloy design and its application to Ni-based single-crystal superalloys, 101
  creep investigation of commercial and improved nickel-based wrought superalloys, 15
  effects of ageing treatments on resistance to intergranular fracture of 8090 Al–Li alloy plate, 79
  grain boundary self-diffusion of ^{63}Ni in austenitic Ni–Cr alloys, 153
  low cycle fatigue behavior of an $\alpha+\beta$ titanium alloy: Ti6246, 31
  microstructural characterization of a new Zn-based creep-resistant alloy, 1
  substitution behavior of Mn, Cr, and Zr in ternary and quaternary alloys of TiAl, 95
  the creep fracture of a single-crystal superalloy, 51
  the nature of dislocations and effect of order in rapidly solidified Fe–(5.5–7.5)wt.%Si alloys, 125
Alumina
  laser melting of plasma-sprayed alumina coatings, 189
Aluminium
  creep behavior of fine-grained two-phase Al_2O_3–$Y_3A_{15}O_{12}$ materials, 173
  effects of ageing treatments on resistance to intergranular fracture of 8090 Al–Li alloy plate, 79
  fracture characteristics of an Al–Si–Mg model composite system, 63
  substitution behavior of Mn, Cr, and Zr in ternary and quaternary alloys of TiAl, 95
Austenite
  grain boundary self-diffusion of ^{63}Ni in austenitic Ni–Cr alloys, 153

Bainite
  effect of microstructure on mechanical properties of isothermally bainite-transformed 300M steel, 145

Carbon
  high temperature structural stability of chemically vapor-deposited silicon carbide filaments, 167
Chemical vapour deposition
  high temperature structural stability of chemically vapor-deposited silicon carbide filaments, 167
Chloride
  investigation of stress corrosion susceptibility of duplex $(\alpha+\gamma)$ stainless steel in a hot chloride solution, 159
Chromium
  characterization and oxidation resistance of hot-pressed chromium diboride, 111
  grain boundary self-diffusion of ^{63}Ni in austenitic Ni–Cr alloys, 153
  substitution behavior of Mn, Cr, and Zr in ternary and quaternary alloys of TiAl, 95
Coatings
  laser melting of plasma-sprayed alumina coatings, 189
Coincidence site lattices
  correlation between diffusivity of grain boundaries and distribution of coincidence site lattice boundaries in polycrystals, 137
Composites
  fracture characteristics of an Al–Si–Mg model composite system, 63
Corrosion
  investigation of stress corrosion susceptibility of duplex$(\alpha+\gamma)$ stainless steel in a hot chloride solution, 159
Creep
  a unified determination of creep and strain rate sensitivity of polycrystals from the properties of constituent grains, 43
  creep behavior of fine-grained two-phase Al_2O_3–$Y_3A_{15}O_{12}$ materials, 173
  creep investigation of commercial and improved nickel-based wrought superalloys, 15
  microstructural characterization of a new Zn-based creep-resistant alloy, 1
  the creep fracture of a single-crystal superalloy, 51
Crystals
  an electronic approach to alloy design and its application to Ni-based single-crystal superalloys, 101
  the creep fracture of a single-crystal superalloy, 51

Deformation
  effects of strain rate on the deformation and failure behavior of 93wt.%W–5wt.%Ni–2wt.%Fe under shear loading, 71
Diborides
  characterization and oxidation resistance of hot-pressed chromium diboride, 111
Diffusion
  correlation between diffusivity of grain boundaries and distribution of coincidence site lattice boundaries in polycrystals, 137
  grain boundary self-diffusion of ^{63}Ni in austenitic Ni–Cr alloys, 153
Dislocation
  the nature of dislocations and effect of order in rapidly solidified Fe–(5.5–7.5)wt.%Si alloys, 125

Fatigue
  low cycle fatigue behavior of an $\alpha+\beta$ titanium alloy: Ti6246, 31
Fibres
  plasma production of silica-modified graphite fibers, 181
Fracture
  effects of ageing treatments on resistance to intergranular fracture of 8090 Al–Li alloy plate, 79
  fracture characteristics of an Al–Si–Mg model composite system, 63
  the creep fracture of a single-crystal superalloy, 51

Grain boundaries
  correlation between diffusivity of grain boundaries and distribution of coincidence site lattice boundaries in polycrystals, 137

grain boundary self-diffusion of ^{63}Ni in austenitic Ni–Cr alloys, 153
Graphite
plasma production of silica-modified graphite fibers, 181

Hot pressing
characterization and oxidation resistance of hot-pressed chromium diboride, 111

Iron
effects of strain rate on the deformation and failure behavior of 93wt.%W–5wt.%Ni–2wt.%Fe under shear loading, 71
the nature of dislocations and effect of order in rapidly solidified Fe–(5.5–7.5)wt.%Si alloys, 125
Isothermal transformation
effect of microstructure on mechanical properties of isothermally bainite-transformed 300M steel, 145

Laser melting
laser melting of plasma-sprayed alumina coatings, 189
Lithium
effects of ageing treatments on resistance to intergranular fracture of 8090 Al–Li alloy plate, 79

Magnesium
fracture characteristics of an Al–Si–Mg model composite system, 63
Manganese
substitution behavior of Mn, Cr, and Zr in ternary and quaternary alloys of TiAl, 95
Mechanical behaviour
model for the prediction of the mechanical behaviour of nanocrystalline materials, 23
Mechanical properties
effect of microstructure on mechanical properties of isothermally bainite-transformed 300M steel, 145
Microstructure
effect of microstructure on mechanical properties of isothermally bainite-transformed 300M steel, 145

Nanocrystals
model for the prediction of the mechanical behaviour of nanocrystalline materials, 23
Nickel
an electronic approach to alloy design and its application to Ni-based single-crystal superalloys, 101
creep investigation of commercial and improved nickel-based wrought superalloys, 15
effects of strain rate on the deformation and failure behavior of 93wt.%W–5wt.%Ni–2wt.%Fe under shear loading, 71
grain boundary self-diffusion of ^{63}Ni in austenitic Ni–Cr alloys, 153

Ordering
the nature of dislocations and effect of order in rapidly solidified Fe–(5.5–7.5)wt.%Si alloys, 125
Oxygen
creep behavior of fine-grained two-phase Al_2O_3–$Y_3A_{15}O_{12}$ materials, 173

Plasma
laser melting of plasma-sprayed alumina coatings, 189
plasma production of silica-modified graphite fibers, 181
Plasma
Polycrystals
a unified determination of creep and strain rate sensitivity of polycrystals from the properties of constituent grains, 43
correlation between diffusivity of grain boundaries and distribution of coincidence site lattice boundaries in polycrystals, 137

Rapid solidification
the nature of dislocations and effect of order in rapidly solidified Fe–(5.5–7.5)wt.%Si alloys, 125
Resistance
characterization and oxidation resistance of hot-pressed chromium diboride, 111
microstructural characterization of a new Zn-based creep-resistant alloy, 1

Shear loading
effects of strain rate on the deformation and failure behavior of 93wt.%W–5wt.%Ni–2wt.%Fe under shear loading, 71
Silica
plasma production of silica-modified graphite fibers, 181
Silicon
fracture characteristics of an Al–Si–Mg model composite system, 63
high temperature structural stability of chemically vapor-deposited silicon carbide filaments, 167
the nature of dislocations and effect of order in rapidly solidified Fe–(5.5–7.5)wt.%Si alloys, 125
Steel
effect of microstructure on mechanical properties of isothermally bainite-transformed 300M steel, 145
investigation of stress corrosion susceptibility of duplex($\alpha+\gamma$) stainless steel in a hot chloride solution, 159
Strain
a unified determination of creep and strain rate sensitivity of polycrystals from the properties of constituent grains, 43
effects of strain rate on the deformation and failure behavior of 93wt.%W–5wt.%Ni–2wt.%Fe under shear loading, 71
Stress
investigation of stress corrosion susceptibility of duplex($\alpha+\gamma$) stainless steel in a hot chloride solution, 159
Structural stability
high temperature structural stability of chemically vapor-deposited silicon carbide filaments, 167

Titanium
low cycle fatigue behavior of an $\alpha+\beta$ titanium alloy: Ti6246, 31
substitution behavior of Mn, Cr, and Zr in ternary and quaternary alloys of TiAl, 95
Tungsten
effects of strain rate on the deformation and failure behavior of 93wt.%W–5wt.%Ni–2wt.%Fe under shear loading, 71

Yttrium
creep behavior of fine-grained two-phase Al_2O_3–$Y_3A_{15}O_{12}$ materials, 173

Zinc
microstructural characterization of a new Zn-based creep-resistant alloy, 1
Zirconium
substitution behavior of Mn, Cr, and Zr in ternary and quaternary alloys of TiAl, 95